



PAINTS & VARNISHES

INTEGRATED ECOLOGICAL
EMULSION PAINTS
OF EXCEPTIONAL
QUALITY



We build together
for a better living.





**Welcome to a world full of high quality,
aesthetics and excellent service...
in the world of THRAKON!**

The real experience of building materials and premium colors. Utilizing long-term experience and know-how, THRAKON is one of the largest research and production companies in the building materials, paints and varnishes industry. THRAKON has the ability to provide integrated services and solutions for a wide range of applications.

BRANDS

THRAKON has an active presence in the market with the following leading brands.

CLIMA PLUS

STATUS

DECOR

ULTRAPOR[®]

DESMOFLEX[®]

CARMYFIX[®]

**REPI
FIX**

Why THRAKON?





Reliability

THRAKON is one of the most reliable producers of mortars in Greece with guaranteed steady supply and six production facilities.



Quality

We offer products, services and solutions of the highest quality which add value to our customers.



Responsibility

THRAKON, since its foundation, presents in market high quality products and integrated solutions, that are innovative, environmentally friendly and economically profitable for the industry. We operate a continuous and reliable business strategy for our clients in order to justify and maintain their trust in us.



Technical Support

THRAKON recognizing the importance of after sales services, is committed to provide complete solutions and advice from specialized engineers and experienced applicators. We want always be close to the customer with a high sense of responsibility.





PAINTS

EMULSION PAINTS / TINTED BASES

SILOXAN PAINT

ACRYLIC PAINTS / TINTED BASES

SUBSTRATES - PRIMERS

WOOD PROTECTION / TINTED BASES

METAL PROTECTION

STUCCO

SPECIAL PRODUCTS

EPOXY - POLYURETHANE PAINTS

SOLVENTS

PIGMENTS

PLASTIC PAINTS / TINTING BASES



STATUS SUPREME

Premium quality ecological emulsion paint

Premium ecological paint so special that covers the internal surfaces of the house with a sense of absolute luxury and 100% satisfaction. Supreme was designed to offer an aura of luxury, unrivaled appearance, exceptional finish and a special formula serving as a protective shield against stains and microbes spread on the surfaces of the house. The best technologies are included in the same container and you have in your hands an ecological paint like no other.



Suitable for busy homes and high traffic rooms, such as children's bedrooms, living rooms, dining rooms, kitchens, bathrooms, hallways and passages where cleaning is done often. Perfect for healthcare, hospitality and educational environments and especially for hotels, hospitals, hospital corridors, schools and public building corridors.



Interior use



16-18 m²/Lt



72 Items (5 Lt)

TINT BASES	Code	Pkg	Shade
	P21106102	2,5 L	White
	P21106105	5 L	
	Code	Pkg	Product
	P21106D03	2,5 L	Base D
	P21106D05	5 L	



STATUS LUXURIOUS

Premium ecological velvet emulsion

Premium quality ecological emulsion paint. It is odorless, easy to clean, and sustains frequent washing and little scratches. It provides a beautiful, velvet surface, offering the enjoyment of a freshly painted house for a long time. It does not allow dirt to impregnate. It has the official eco-certification by the EU.



Suitable for indoor use. Ideal for children's rooms as well as other rest areas of the house. Applied on surfaces such as walls, plasters, ceilings, plasterboards, etc. The surface must be dry and free of dust, mold and grease before application.



Interior use



15 - 18 m²/Lt



48 Items (9 Lt)



12 Items (750 ml)

Code	Pkg	Shade
P21180008	750 mL	White
P21180003	3 L	
P21180009	9 L	



STATUS ECO

Premium ecological mat emulsion

Premium quality ecological emulsion paint, ideal for indoor surfaces. It is odorless and environment friendly. Spreads wonderfully, has excellent hiding power and high efficiency. Sustains frequent washing. It has the official eco-certification by the EU.



Applied on surfaces such as walls, plasters, ceilings, plasterboards and troweled coats. The surface must be dry and free of dust, mold and grease before application.



Interior use



15 - 18 m²/Lt



48 Items (10 Lt)



12 Items (750 ml)

TINT BASES	Code	Pkg	Shade
	P21112008	750 mL	White
	P21112003	3 L	
	P21112010	10 L	
	P21112011	15 L	
	Code	Pkg	Product
	P21112P01	1 L	Base P
	P21112P03	3 L	
	P21112P10	10 L	
	P21112D01	1 L	Base D
	P21112D03	3 L	
	P21112D10	10 L	
	P21112T01	1 L	Base TR
	P21112T03	3 L	
	P21112T10	10 L	



STATUS KITCHEN & BATH

Antimould high quality emulsion paint with strong antifungal action.

It has excellent hiding power, high performance and easy implementation. It leaves a unique, rich mat finish that withstands washing and retains its color unchanged, giving the feeling of clean and freshly painted room for a long time.



Ideal for bathrooms and kitchens



Interior use



12 - 14 m²/L



48 items (10 L)



12 items (750 mL)

Code	Pkg	Shade
P21157008	750 mL	White
P21157003	3 L	
P21157010	10 L	



STATUS EMULSION PAINT

High quality emulsion paint

Premium quality, mat emulsion paint, ideal for indoor use. It has excellent hiding power, high resistance to washing and high efficiency, offering a superb finish.



Applied to surfaces such as walls, plasters, ceilings, plasterboards and troweled coats. The surface must necessarily be dry, solid and free of dust, mold and grease before application.



Interior use



15 - 18 m²/L



48 items (10 L)



12 items (750 mL)

Code	Pkg	Shade
P21108008	750 mL	White
P21108003	3 L	
P21108010	10 L	
Code	Pkg	Product
P21108P01	1 L	Base P
P21108P03	3 L	
P21108P10	10 L	
P21108D01	1 L	Base D
P21108D03	3 L	
P21108D10	10 L	
P21108T01	1 L	Base TR
P21108T03	3 L	
P21108T10	10 L	

TINT BASES



STATUS EMULSION COLORANT

Emulsion colorant

STATUS Emulsion Colorants are suitable for painting various surfaces as well as tinting white emulsion and acrylic paints. They have strong colorant power and can be fully and easily incorporated. The various shades that can be created have high resistance to UV radiation and to alkali and remain unchangeable through time.



Suitable for painting various surfaces and coloring white emulsion and acrylic paints, to create complex shades.



Interior use



10 - 13 m²/Lt



6 items (180 ml / 375ml / 750 ml)



Yellow	Red	Blue	Green
Ocher	Brick Red	Brown	Black

* Actual shades may differ from this color chart

Code	Package
C/C	180 mL
C/C	375 mL
C/C	750 mL



PRIMO ECO

Ecological emulsion paints

Ecological Emulsion Paint, offering fast drying, nice workability, has big covering strength and high performance.



Suitable for interior walls, ceilings, plaster, stairs, warehouses.



Interior use



12 - 14 m²/Lt



48 items (9 Lt)



12 items (750 ml)

Code	Pkg	Shade
P21107008	750 mL	White
P21107003	3 L	
P21107009	9 L	
Code	Pkg	Product
P21107P01	1 L	Base P
P21107P03	3 L	
P21107P09	9 L	
P21108D01	1 L	Base D
P21108D03	3 L	
P21108D10	9 L	

TINT BASES



PRIMO PROFESSIONAL

Enhanced emulsion paint with strong antimicrobial action

Emulsion paint, enhanced with acrylic resins, specially designed for professional use. It is easily applied, dries quickly, has strong coverage, resistance to harsh weather conditions and impressive performance. Available in white and colored, with basic emulsion colorants.



Suitable for interior and exterior walls, ceilings, plaster, stairs, warehouses, cements.



Exterior & Interior use



10 - 12 m²/Lt



48 Items (9 Lt)
33 Items (16 Lt)

Code	Pkg	Shade
P21104003	3 L	White
P21104009	9 L	
P21104016	16 L	



BONUS ACRYLIC

Economic emulsion paint

Economic emulsion paint, specially designed for professional use. It is easily applied, dries quickly, has strong coverage and impressive performance. Available in white.



Suitable for interior and exterior walls, ceilings, warehouses etc. The surface must be dry and free of dust or oils before painting.



Exterior & Interior use



10 - 12 m²/L



48 items (9 L)
33 items (15 L)

Code	Pkg	Shade
P21159003	3 L	White
P21159009	9 L	
P21159015	15 L	



STATUS WATERCOLOR

Excellent quality watercolor

Excellent quality paint ready to use. It allows the surfaces to breathe better preventing the accumulation of water vapor and cleaning the space. It's easy to work with, great performance and leaves a nice, all-white surface.



Suitable for any interior space, such as ceilings in kitchens, bathrooms, warehouses, stairwells and generally where a washing machine is not required sealing of surfaces. The surface must be dry and free of dust or oil before painting.



Interior use



10 - 12 m²/L



48 items (9 L)

Code	Pkg	Shade
P21362003	3 L	White
P21362009	9 L	

SILICONE - SILOXAN PAINT



CLIMAPAINTE SILOXAN

High quality innovative silicone - siloxane paint

The unique composition of CLIMAPAINTE SILOXAN offers external surfaces excellent color stability, quick evaporation of moisture from the surface and an effective shield against ambient humidity.



Suitable for all external surfaces and ideal for renewing surfaces that have been applied the external thermal insulation system.



Exterior use



13 - 17 m²/L



80 items (3 L)
36 items (10L)



Code	Pkg	Shade
P21800203	3 L	White
P21800210	10 L	
Code	Pkg	Product
P21800213	3 L	Base D
P21800220	10 L	

COLOR BASES

ACRYLIC PAINTS / TINTED BASES

**STATUS 100% ACRYLIC****High quality acrylic paint**

Premium Quality acrylic paint specifically designed to withstand harsh weather conditions such as big temperature changes, sunlight, sea saltiness, and atmospheric pollution. The bright white and the unchanged in time shades, make spaces look freshly painted for years.



Suitable for painting exterior surfaces such as walls, plaster, plasterboard, cement, concrete. The surface must necessarily be dry, solid and free of dust, mold and grease before application.



Exterior use



15 - 17 m²/Lt



48 Items (10 Lt)



12 Items (750 ml)

Code	Pkg	Shade
P21138008	750 mL	White
P21138003	3 L	
P21138010	10 L	
Code	Pkg	Product
P21138P01	1 L	Base P
P21138P03	3 L	
P21138P10	10 L	
P21138D01	1 L	Base D
P21138D03	3 L	
P21138D10	10 L	
P21138T01	1 L	Base TR
P21138T03	3 L	
P21138T10	10 L	

TINT BASES

**STATUS ALL WEATHER****Elastomeric waterproof facade paint**

STATUS All-Weather is a pioneering product that dyes and isolates the exterior walls at the same time, ensuring absolute protection from the humidity and exceptional endurance. Its special composition creates a flexible membrane that covers all the veins and "monitors" the constrictions and dilations of the surface. Thanks to the built-in filters against the ultraviolet radiation it remains flexible without going off or peeling.



It is the ideal solution for coating and protection of buildings, mainly in urban and mountainous areas. It has the ability to prevent the formation of mold, and has a reduced tendency for retention pollutant (UV cross-linking).



Exterior use



11 - 13 m²/Lt



48 Items (10 Lt)

Code	Pkg	Shade
P21155003	3 L	White
P21155010	10 L	
Code	Pkg	Product
P21155P03	3 L	Base P
P21155P10	10 L	
P21155D03	3 L	Base D
P21155D10	10 L	
P21155T03	3 L	Base TR
P21155T10	10 L	

TINT BASES

**PRIMO 100%****Acrylic paint for concrete surfaces**

Acrylic paint for exterior use. It is easily applied, dries fast, has good coverage and good resistance to sunlight and harsh weather conditions. It is an economic and efficient solution for the professional painter.



Suitable for painting exterior surfaces such as walls, plaster, plasterboard, cement, concrete, bricks. The surface must necessarily be dry, solid and free of dust, mold and grease before application.



Exterior use



10 - 12 m²/Lt



48 Items (9 Lt)



12 Items (750 ml)



White Grey Brick Red

* Actual shades may differ from this color chart

Code	Package	
C/C	750 mL	
	3 L	
	9 L	
Code	Pkg	Product
P21137P03	3 L	Base P
P21137P09	9 L	
P21137D03	3 L	Base D
P21137D09	9 L	

TINT BASES



STATUS RELIEF

Textured decorative paint

Textured, decorative paint, suitable for outdoor use. Offers strong adhesion and excellent durability under severe weather conditions. Creates numerous decorative relief projects providing a beautiful aesthetic result by using appropriate paint rollers.



Suitable for painting on new and old surfaces such as plaster, concrete, wood etc. The surface must be dry, clean, free of dust, mold or grease before application.



Exterior & Interior use



1 - 1,5 m²/Lt



36 Items (15 kg)

Code	Pkg	Shade
P21540005	5 kg	White
P21540015	15 kg	

SUBSTRATES – PRIMERS



ELITE PRIMER

2 in 1 High-performance White Primer

100% acrylic high-performance white primer offering maximum coverage and ensuring perfect preparation of the surface. ELITE PRIMER offers unparalleled advantages and is described by perfect adhesion to the application surface. The new Stain-Blocking & High Hiding formula used in ELITE PRIMER has been designed to prevent the most persistent stains and the formation of color imperfections on the surface and, as a result, the surface is perfectly prepared for applying premium paints like Supreme and covering color imperfections.



The exceptional new generation composition is appropriate for both interior and exterior surfaces, such as walls, ceilings, plasters, plaster boards, bricks, wooden surfaces, etc.



Exterior & Interior use



9 m²/Lt



64 Items (3 Lt)
36 Items (9 Lt)



Available in white shade, thus ensuring a flawless final result, while, if you want a perfect and uniform shade of the final color, THRAKON gives you a choice of numerous shades by choosing the desired tone from the THRAKON coloring system.

Code	Pkg	Shade
P21106003	3 L	White
P21106009	9 L	



CLIMAPRIMER SILOXAN

High quality colored, odorless, waterproof, silicone-based acrylic micronized water primer

The ecological silicone-based acrylic micronized primer CLIMAPRIMER SILOXAN gives the applied surface waterproofing and excellent breathability, while at the same time shielding the substrate from rising soil moisture and the migration of salts from the substrate to the final painted surface.



Suitable for new and existing porous external and internal surfaces, which will then be painted with CLIMAPRIMER SILOXAN.



Exterior use



10 - 15 m²/L



80 items (5 L)



Code	Pkg	Shade
P21800205	5 L	Translucent



GLX 292 FLEX PRIM

Acrylic primer - High penetration

Ready to use micronized acrylic water-based primer with high penetration ability.



Ideal for preparing each new or old porous surface such as plaster, brick, concrete, plastered walls etc, creating an adhesion bridge for acrylic plasters, water paints, mortars, tile adhesives, acrylic and cementitious waterproofing spreads etc.



Exterior & Interior use



15-20 m²/L depending on surface porosity



240 items (1 kg)
84 items (5 kg)
24 items (20 kg)



16 items (1 kg)

Code	Package
P21472920	1 kg
P21472925	5 kg
P21472921	20 kg



STATUS GYPSUM BOARD PRIMER

Gypsum board primer

Acrylic primer, for interior use, with excellent filling coverage, suitable for plasterboard, and also masonry surfaces made of plaster, concrete, etc. It has excellent adhesion, smoothening the unevenness of drywall surfaces. It can be repainted with any emulsion paint. Available in white and in numerous shades, through the STATUS coloring system.



The surface must be clean and dry. Dilute 5-10% with water. Repaint after 3-4 h. Storage at a dry environment with temperatures between +5°C and +35°C.



Interior use



12 - 14 m²/Lt



48 Items (9 Lt)

Code	Pkg	Shade
P21306203	3 L	White
P21306209	9 L	



STATUS ACRYLIC PRIMER

Acrylic primer

Water-soluble, acrylic undercoat for emulsion paints, suitable for interior and exterior use. It has excellent adhesion and elasticity. Provides strong grip on the final color and offers significantly greater durability over time. It is off white when packaged. After application, it becomes transparent.



Ideal for the preparation of new surfaces, such as exposed concrete, plaster, plasterboard, stucco surfaces, brick, etc. Also suitable for stabilizing surfaces painted with water paint (glue) or lime.



Exterior & Interior use



18 - 20 m²/Lt



48 Items (10 Lt)



12 Items (750 ml)

Code	Pkg	Shade
P21306008	750 mL	Semi-transparent (Milky)
P21306003	3 L	
P21306010	10 L	



STATUS DUR

Waterproof primer, solvent based

Transparent, solvent based, waterproof primer for walls. Impregnates, stabilizes and waterproofs surfaces, while allowing them to breathe. It is the best preparation before using vinyl or acrylic emulsions, STATUS RELIEF, paints for concrete or insulation boards.



Ideal for preparing every new or old porous surface such as plaster, brick, concrete, plastered walls etc. Also a great solution for surfaces coated with glue, lime or bad quality old colors.



Exterior & Interior use



14 - 16 m²/Lt for wall application
8 - 10 m²/Lt for application on ceilings



12 Items (1 Lt)

Code	Pkg	Shade
P21307001	1 L	Transparent
P21307005	5 L	
P21307015	15 L	



STATUS AQUADUR

Waterproof acrylic primer, water based

Transparent, water based, waterproof, acrylic primer for walls. Impregnates, stabilizes and waterproofs surfaces, providing better grip for the final color.



Suitable for preparing any surface such as plaster, brick, concrete, plastered walls etc. prior to painting with plastic or acrylic paints. Excellent solution for walls painted with glue, lime or bad quality old colors.



Exterior & Interior use



15 - 20 m²/Lt



12 Items (1 Lt)

Code	Pkg	Shade
P21307101	1 L	Transparent
P21307105	5 L	

WOOD PROTECTION / TINTED BASES



STATUS POLYPRIMER

Ecological multipurpose primer

Ecological water soluble multipurpose undercoat for interior and exterior use. Certified with Ecolabel. Easy to apply, has excellent covering ability and ensures high adhesion and a flawless final result.



Ideal for wooden surfaces before painted with water based enamel paints. Also suitable for metal, plaster, plasterboard, hard PVC, polyester and glass. Suitable for the isolation of black spots caused from humidity in interior walls and ceilings. Odorless during application.



Exterior & Interior use



10 - 12 m²/L



6 items (750 mL)



STATUS AQUADROP

Ecological water based enamel paint

Finest quality certified ecological water based enamel paint, ideal for interior and exterior use. Some of the main advantages of this product is that it is odorless and does not turn yellow after time. It spreads easily and covers wonderfully, leaving a lovely surface to withstand frequent washing and harsh weather conditions for many years.



Specially designed for painting any wooden surface such as doors, cabinets, windows and walls, metal, hard PVC or glass. Prior use of Status Polyprimer is absolutely necessary.



Exterior & Interior use



12 - 14 m²/Lt



6 Items (750 ml)



AVAILABLE IN:
MATTE, SATIN AND GLOSS.
(WHITE & TINT BASES)

Code	Pkg	Shade
P21332008	750 mL	White
P21332003	2,5 L	

Code	Pkg	Shade
C/C	750 mL	White
C/C	2,5 L	
Code	Pkg	Product
C/C	750 mL	Base P
C/C	2,25 L	
C/C	750 mL	Base D
C/C	2,25 L	
C/C	750 mL	Base TR
C/C	2,25 L	

TINT BASES

TINT BASES



STATUS ENAMEL UNDERCOAT

Enamel undercoat

White, mat primer, specially formulated to furnish a perfect base for enamels. It provides excellent hiding and filling power, very good levelling and easy sanding, offering a uniform, excellent finish to the topcoat.



Suitable for wooden surfaces and walls, for interior and exterior use.



Exterior & Interior use



16 - 18 m²/Lt



6 Items (750 ml)

Code	Pkg	Shade
P21131008	750 mL	White
P21131003	2,5 L	
P21131005	5 L	



STATUS ULTRASHIELD RIPOLIN

Enamel paint for wooden surfaces

Excellent quality, solvent-based paint for interior and exterior use. Featuring excellent hiding power and easy brushing, it offers a perfect finish, washable, with great resistance in hard weather conditions, providing a long-lasting protection.



Specially formulated for the painting of all wooden surfaces such as doors, trim, frames, cabinets etc. It is also suitable for walls and metals.



Exterior & Interior use



14 - 16 m²/Lt



6 Items (750 ml)



TINT BASES ARE AVAILABLE IN:
SATIN AND GLOSS.

Code	Pkg	Shade
C/C	375 mL	White (Satin & Gloss)
C/C	750 mL	
C/C	2,5 L	
P21125204	375 mL	White (Matte)
P21125208	750 mL	
Code	Pkg	Product
C/C	750 mL	Base P
C/C	2,25 L	
C/C	750 mL	Base D
C/C	2,25 L	
C/C	750 mL	Base TR
C/C	2,25 L	



STATUS TEAK OIL

Preservation oil, enriched with wax

Increases the lifetime of wooden surfaces and substitutes natural wood oils lost over time. Seals, nourishes and revives the wood surface to be applied.



Ideal for freshening and maintenance of garden furniture and all decorative wooden constructions



Exterior & Interior use



13 - 15 m²/Lt



6 Items (750 ml)

Code	Pkg	Shade
P21020018	750 mL	Colorless



STATUS BASEWOOD

Wood preservative

Colorless preservative and primer suitable for the preparation of wooden surfaces before the application of varnish. Its advanced composition protects effectively the wood from mould, fungi, blue stains and dry rot.



Suitable for interior and exterior use, it can be applied on all kinds of wooden surfaces such as doors, windows, frames, cladding, beams, roofs, fences, pergolas, garden furniture etc.



Exterior & Interior use



20 m²/Lt



6 Items (750 ml)

Code	Pkg	Shade
P21333008	750 mL	Colorless
P21333003	2,5 L	



STATUS EVERWOOD

3 in 1 Protective woodstain

Protective woodstain, specially formulated for the effective protection of wood. Due to its special formulation, it offers deep penetration to the wood while allowing it to 'breathe'. The built-in filters against the ultraviolet radiation and its water repulsive characteristic protect effectively from solar radiation, rain and humidity. Thus, it ensures longlasting protection, accentuating the natural beauty of the wood.



It is appropriate for all wooden surfaces such as doors, frames, cladding, banisters, eaves, fences, pergolas, sheds and garden furniture.



Exterior & Interior use



25 m²/Lt



6 Items (750 ml)



203 Pine	206 Oak	215 Cherry	218 Chestnut
221 Walnut	224 Mahogany	212 Oregon	209 Teak
Colorless			

* Actual shades may differ from this color chart

Code	Package
C/C	750 mL
C/C	2,5 L



STATUS AQUAWOOD

Protective water based wood varnish

Water based woodstain varnish, specially formulated for the effective protection of wood, enhancing the natural beauty of it. It is odorless, fast drying, does not crack or peel. It offers deep penetration to the wood, while allowing it to "breathe" preventing the formation of moisture and the risk of infestation by insects, fungi, woodworm etc.



For all wooden surfaces, new or old: doors, windows, ceilings, doors, pergolas, garden furniture, fences, wood paneling, etc.



Exterior & Interior use



18 - 20 m²/Lt



6 Items (750 ml)



203 Pine	206 Oak	215 Cherry	218 Chestnut
221 Walnut	224 Mahogany	212 Oregon	209 Teak
Colorless			

* Actual shades may differ from this color chart

Code	Package
C/C	750 mL
C/C	2,5 L



STATUS ECOVARN

Water based ecological varnish

Ecological colorless water-soluble varnish. It protects and also decorates every wooden surface. It is odourless, highly efficient and easily applied. Thanks to the builtin filters against ultraviolet radiation, the surface remains fible and fully protected even under harsh weather conditions. Certified Ecolabel from European Union.



For all wooden surfaces, new or old: doors, windows, ceilings, doors, pergolas, garden furniture, fences, wood paneling, etc. Moreover highly apply on walls and metal. It is also recommended as final coating for the protection of decorative effects as it does not turn yellow. The result is a splendid, particularly durable surface that remains inalterable for a long time.



Exterior & Interior use



8 - 10 m²/Lt



6 Items (750 ml)

Code	Pkg	Shade
C/C	750 ml	Colorless - Glossy or Satin
C/C	2,5 Lt	



STATUS NAUTICAL

Yacht varnish

Highly durable, transparent yacht varnish that protects and decorates any wooden surface. Due to its built-in filters against solar radiation (UV filters) it provides great resistance, protecting from chaps and peeling. Creates a flexible, waterproof surface providing long-lasting protection.



Specially formulated for the painting of wooden ships but also for doors, frames, windows, pergolas, handrails etc. Ideal for timbers strongly affected by humidity, salty sea breeze and bright sunshine.



Exterior & Interior use



15 - 16 m²/Lt



6 Items (750 ml)

Code	Pkg	Shade
P121125408	750 ml	Glossy Colorless
P121125403	2,5 Lt	



STATUS WOOD CLASSIC

Decorative wood varnish

High quality, one-component polyurethane varnish, for exterior or interior use. It stands out for its high durability and gloss.



Suitable for any kind of wooden surface, new or old: doors, windows, ceilings, doors, pergolas, garden furniture, fences, wood paneling, etc.



Exterior & Interior use



8-10 m²/Lt



6 Items (180ml / 750 ml)



206 Oak	209 Teak	221 Walnut
215 Cherry	203 Pine	107 Mahogany
Colorless		

* Actual shades may differ from this color chart

Code	Pkg	Shade
P121125002	180 ml	Glossy Colorless
P121125008	750 ml	
P121125003	2,5 Lt	
C/C	180 ml	Glossy - Shade
C/C	750 ml	
C/C	750 ml	Colorless - Matte or Satin
C/C	2,5 L	

METAL PROTECTION



STATUS RUST NEUTRALIZER

Rust Stabilizer

Ready-to-use, one-component, water-soluble, product for the preparation of iron and steel surfaces prior to painting. Its special formula chemically reacts with rust to create a film, impermeable from oxygen and moisture, that protects the surface from the reappearance of rust. It offers very strong adhesion to the substrate, long-term protection against corrosion and enhances the mechanical strength of the surface.



It is applied on steel and iron surfaces such as railings, doors, metal furniture, tools, machinery, concrete reinforcement bars, parts of ships.



Exterior & Interior use



200 ml/m² depending on the application



12 Items (200 ml / 800 ml)

Code	Pkg	Shade
P21329402	200 mL	Off-white
P21329408	800 mL	



STATUS STEEL

Transparent varnish for metallic surfaces

Transparent varnish for metallic surfaces. For exterior or interior use. Resistant to extreme weather conditions. Appropriate for the protection and decoration of old and new metallic surfaces. Offers high durability in time and protects from rust, hits and thermal expansions of the metallic surfaces.



The surface must be clean, dry and free from dust and grease before application. The product can be applied between +10° C and +25° C by brush or roller. Apply two coats evenly crosswise. It can be applied directly onto rust.



Exterior &
Interior use



15 - 20 m²/Lt



6 Items (750 ml)

Code	Pkg	Shade
C/C	750 ml	Transparent satin or Transparent matte
C/C	2,5 Lt	



STATUS BUILDING PRIMER

Building primer

Ideal undercoat for the preparation of metal surfaces. Works softly spreads wonderfully, has great coverage and does not flow. Ensures very good adhesion in the final paint, offering a uniform surface and exceptional final result.



Can be applied to all metal surfaces. It is also suitable for application on wood, plaster and the construction in general, as it is applied softly, providing excellent spreading capacity. The surface must be necessarily dry, solid and free of dust, mould and grease before application.



Exterior &
Interior use



10 - 12 m²/Lt



6 Items (750 ml)

Code	Pkg	Shade
P121306108	750 ml	White
P121306103	2,5 Lt	
P121306105	5 Lt	



STATUS RUST PRIMER

Anticorrosive primer

Primer with excellent anticorrosive properties and high durability. Provides effective protection against rust, even under harsh weather conditions. Its superior workability and excellent spreading capacity ensure very good covering and exceptional final result.



On metal surfaces such as rails, farming equipment, car frames etc.



Exterior &
Interior use



13 - 15 m²/Lt



6 Items (375 ml / 750 ml)



Grey Brick Red

* Actual shades may differ from this color chart

Code	Pkg
C/C	375 ml
C/C	750 ml
C/C	2,5 Lt



STATUS MARINE PRIMER

Orange lead marine primer

Powerful orange lead marine primer. Due to its thixotropic properties, performs high workability, spreads extremely well, dries quickly and provides excellent traction.



Excellent for the effective protection of metal surfaces from oxidation. It is also applicable as a primer on wooden surfaces such as windows, boats etc.



Exterior use



5 - 6 m²/kg



6 Items (500 gr / 750 kg)

Code	Pkg	Shade
P21400004	500 gr	Orange
P21400075	750 gr	
P21400005	5 kg	



STATUS DUKO

Gloss enamel paint

Glossy extra strong enamel paint, suitable for decoration and protection of all metallic surfaces, indoor and outdoor. Featuring excellent hiding power and easy brushing, it offers a perfect finish, with exceptional resistance in hard weather conditions, providing a longlasting protection and shades that survive unaltered for a long time.



Ideal for the decoration and protection of any metallic surface. Also suitable for application on properly primed wooden surfaces and walls.



Exterior & Interior use



13 - 15 m²/Lt



6 Items (180 ml / 375 ml / 750 ml)



44 Red	63 Forest Green	65 Dark Green
74 Myconeian Blue	76 Norwegian Blue	99 Leadon
01 White	24 Black	

* Available only for 2,5 Lt

Actual shades may differ from this color chart

Code	Pkg	Shade
C/C	180 ml	White and in 29 ready shades*
C/C	375 ml	
C/C	750 ml	
C/C	2,5 Lt*	



DUROMETAL HARDENER

Hardener

Polyurethane hardener for STATUS DUROMETAL. Gives faster drying and greater hardness.



Mix in a ratio of 20% by volume with all hard enamel paints.



Exterior & Interior use



12 Items (750 ml)

Code	Pkg	Shade
P121135008	750 ml	Transparent



STATUS DUROMETAL

Hard enamel paint

Featuring excellent hiding power and easy brushing, provides a perfect finish, with exceptional resistance in harsh weather conditions, providing a long-lasting protection and shades that remain unaltered for a long time.



On all metal constructions. Also suitable for painting trucks, tractors, machinery, etc. The surface must necessarily be dry, solid and free of dust, mold, grease before application.



Exterior & Interior use



13 - 15 m²/Lt



6 Items (750 ml)



AVAILABLE IN:
SATIN, GLOSS AND MATTE.

Code	Pkg	Shade
C/C	750 mL	Gloss White, Black, Moss green
C/C	2,5 L	
C/C	750 mL	Matte Black, Aluminium
C/C	750 mL	Satin White, Black, Moss green
C/C	2,5 L	
Code	Pkg	Product
P121120P08	750 ml	Base P
P121120P03	2,25 Lt	
P121120D08	750 ml	Base D
P121120D03	2,25 Lt	
P121120T08	750 ml	Base TR
P121120T03	2,25 Lt	

TINT BASES



STATUS RUSTBLOCK

Anticorrosive gloss enamel paint (paint & primer)

Specially designed paint to be applied on rusty surfaces without prior use of rust primer, offering a glossy effect as a final result. Exhibits high adhesion and very good leveling and offers excellent resistance to harsh weather conditions. The result is a shiny, highly durable surface, with intact shades for a very long time.



Its composition ensures strong protection against rust on any new or old metal surface preventing rust appearance, without prior use of anticorrosive primer.



Exterior &
Interior use



6 - 8 m²/Lt



6 Items (750 ml)



406 Silver	418 Cypress	412 Red	415 Mykonian	409 Dark Blue
421 Grey	424 Dark grey	427 Brown	400 White	403 Black

* Actual shades may differ from this color chart

Code	Pkg
C/C	750 ml
C/C	2,5 Lt



STATUS RUSTBLOCK HAMMER FINISH

Hammer finish anticorrosive enamel paint (paint & primer)

Specially designed paint to be applied on rusty surfaces without prior use of rust primer, offering a hammer effect as a final result. Exhibits high adhesion and very good leveling and offers excellent resistance to harsh weather conditions. The result is a shiny, highly durable surface, with intact shades for a very long time. Available in 5 colors.



Its composition ensures strong protection against rust on any new or old metal surface preventing rust appearance, without prior use of anticorrosive primer.



Exterior &
Interior use



6 - 8 m²/Lt



6 Items (750 ml)



406 Silver	418 Cypress	430 Bronze	436 Grey	439 Aegean
------------	-------------	------------	----------	------------

* Actual shades may differ from this color chart

Code	Pkg
C/C	750 ml
C/C	2,5 Lt



STATUS METALLIC

Metallized water based paint

Decorative anticorrosive water based paint, ideal for exterior or interior metallic surfaces. Its composition ensures strong protection against rust, preventing rust appearance. It offers excellent resistance, very good leveling, high adhesion as well as antirust protection. It provides a durable surface with color shades that are retained for a long time.



Ideal for any exterior or interior metal surface but also for wall or wood railing, handrail, door and more. It is applied directly on corroded metallic surfaces.



Exterior &
Interior use



7 - 9 m²/Lt



6 Items (650 ml)



450 Silver	452 Grey	454 Graphite
456 Gold	458 Olive Green	460 Terracotta

* Actual shades may differ from this color chart

Code	Pkg
C/C	650 ml

STUCCO



STATUS ONE COVER

Lightweight acrylic putty

White, ready to use, lightweight acrylic putty for exterior or interior surfaces. It is easily applied and does not crack. The surface can be painted as soon as the putty is dry.



It can be used with only one step as filling material for cracks and holes at a maximum thickness of 3cm.



Exterior & Interior use



12 - 15 m²/Lt



12 Items (1 Lt)

Code	Pkg	Shade
P21385001	1 L	White



STATUS 100% ACRYLIC PUTTY

Acrylic putty

White putty for exterior or interior use in construction. Can be used as filling material on surfaces made of plaster, wood, concrete e.t.c. It has easy application and when sanded it offers a smooth and durable surface without cracks.



Filling or troweling any surface made of plaster, wood, concrete, drywall, etc. Also ideal for thin filling.



Exterior & Interior use



400 g/m²



12 Items (800 g)
24 Items (400 g)

Code	Pkg	Shade
P21381004	400 g	White
P21381008	800 g	
P21381005	5 kg	



STUCCOPRO DEC 470

Fine-grained spatula putty

White, one component, dry mix putty. Replaces the traditional putty and oil putty. The final result gives a very smooth surface, without lumping, lines and cracks after drying.



Applied on exterior or interiorsurfaces: concrete, cement based plasters.



Exterior & Interior use



1,2 kg/m²/mm for two layers




60 Items (20 kg)



4 Items (5 kg)

Code	Pkg	Shade
P11801005	5 kg	White
T10000150	20 kg	



STUCCOMASTER

Coarse grain spatula putty

White, single-component, cement-based mortar with ultra-fine limestone aggregates (marble) of high whiteness and selected granulometry.



Applied to interior and exterior surfaces on concrete, plaster, cement mortars and generally on stable surfaces without large bulges.



Exterior & Interior use



1,2 kg/m²/mm for two layers



60 Items (20 kg)

Code	Pkg	Shade
P11801120	20 kg	White



FINE PUTTY

Acrylic Sealant

Acrylic single component, multi-use sealant. Suitable for filling cracks and joints exterior or interior surfaces. It can be painted, while it is waterproof after maturation.



Suitable for filling joints at all porous surfaces such as brick, concrete, wood etc. Not suitable for outdoor application joints that have permanent contact with water.



Exterior & Interior use



12 Items (280 ml)

Code	Pkg	Shade
T10000360	280 mL	White

SPECIAL PRODUCTS



STONE VARNISH

Acrylic stone varnish

Impregnating, premium quality, transparent, decorative stone varnish, specially designed to emphasize and protect any kind of stone. Specially formulated for penetrating the pores of the surface and enhancing the natural color of the surface. It stands out because it leaves a vibrant, long-lasting surface that can withstand harsh weather conditions.



It is suitable for interior and exterior use in natural or artificial stones, ceramics, marbles, bricks, granite, etc. Can also be used in terraces, fireplaces, walls, mosaics and elsewhere. The surface must necessarily be dry, solid and free of dust, mold, grease before application.



Exterior & Interior use



10 -12 m²/Lt



6 Items (750 ml)

Code	Pkg	Shade
P121126008	750 ml	Transparent
P121126003	2,5 Lt	



STATUS ARTISTICO

Water-based decorative glaze

Water-based, decorative glaze, specially formulated for the creation of translucent, versatile paint effects, appropriate for interior and exterior surfaces decoration. Can be applied on all types of surfaces such as walls, ceilings, woods, metals etc. Designed and based on high quality specifications.



Status Artistico may be colored through tinting system, providing a semi-opaque finish and can stay workable for sufficient time. A combination of colors, tools and techniques allow the creation of spectacular effects, showing off the creative side and making any place truly unique.



Exterior & Interior use



12 -15 m²/Lt



6 Items (750 ml)

Code	Pkg	Shade
P121364008	750 ml	Transparent*

* (Milky)



STATUS CARMYPAIN RP-10

Road marking paint

Road marking solvent-based paint, to be used as a binder of reflective glass beads. It has excellent adhesion and reflectivity. The glass beads should be dispersed in fresh painted lane striping, which must be fluid. Diluted with LS - 702 solvent.



On asphalt surfaces, using machine road marking.



Exterior & Interior use



2 - 4 m²/kg



White Yellow



72 items (5 kg)
24 items (25 kg)

Code	Pkg
C/C	5 kg
C/C	25 kg

EPOXY - POLYURETHANE PAINTS



STATUSPOX

Epoxy paint

Two component epoxy paint. It has high resistance to mechanical and chemical stresses. It is also highly resistant to oils, diesel, gasoline, acids and alkalis, and exhibits excellent adhesion to concrete and metal surfaces. Available in grey color RAL 7032 and can be produced in any color on request. Diluted with LS - 702 solvent.



Suitable for painting floors in industrial sites, factories, warehouses, garages etc. For indoor use.



Exterior & Interior use



3 - 4 m²/kg for film thickness 150 - 200m



36 items (A 12kg + B 2,5kg)

Code	Pkg	Shade
P129011000	A Comp. 12 kg	Grey*
P121118003	B Comp. 2,5 kg	

* Available in other shades after order.



STATUSPOOL PRIMER

Primer for pool paint

Two component, epoxy primer for swimming pools and non-potable water tanks. Diluted with LS - 703 solvent.



Priming concrete in new swimming pools or local repairs of the old substrate.



Exterior use



8 - 9 m²/Lt (for dry film 60m.)



72 items (A 4L + B 2L)

Code	Pkg	Shade
P121136004	A Comp. 4 Lt	White
P121136010	B Comp. 2 Lt	



STATUSPOOL

Polyurethane Pool paint

Two component polyurethane top coat for swimming pools. It's highly resistant to UV radiation and in acidic or alkaline environment. It has excellent grip, absolute impermeability to water and high elasticity, protects the surface from cracking, peeling or chalking.



Suitable for painting swimming pools, fountains and tanks. Diluted with LS - 703 solvent.



Exterior use



13 - 15 m²/Lt (per layer)



White Aqua Blue



72 items (A 4L + B 2L)

Code	Pkg
C/C	A Comp. 4 Lt
C/C	B Comp. 2 Lt



WASH PRIMER

Special two-component primer for non-ferrous surfaces

Green, two-component special primer.



Suitable for the preparation of non-ferrous surfaces such as aluminum, copper, zinc and galvanized steel. Diluted with LS 702



Exterior & Interior use



14 - 15 m²/kg (for dry film 10m.)



12 Items (800 gr / 200 gr)

Code	Pkg	Shade
P121310008	A Comp. 800 gr	Green
P121310002	B Comp. 200 gr	



STATUS REMOVER

Paints and epoxy grouts

New generation powerful corrosive for paints and varnishes and epoxy grouts. Does not contain dichloromethane.



Suitable for the removal of old or new varnish, paint and primers.



Exterior &
Interior use



12 Items (375 ml / 750 ml)

Code	Pkg	Shade
P121690004	375 ml	Transparent
P121690008	750 ml	
P121690003	4 Lt	



CARMYSAIL PRIMER

Epoxy primer

High quality epoxy primer with antiosmotic properties. Diluted with LS - 735 solvent.



Suitable for steel, aluminum, wood and fiberglass.



Exterior &
Interior use



7 - 9 m²/Lt (for dry film 50-60 m.)



12 Items (A + B set [500 ml + 250 ml])

Code	Pkg	Shade
P121139003	A Comp. 2 Lt	Grey
P121139101	B Comp. 1 Lt	
P121139118	Packaging A + B Comp. 500 + 250 ml	



CARMYSAIL

Polyurethane paint

Premium quality polyurethane paint. Highly resistant to oil, grease and cleaning agents.



Suitable for application on surfaces of fiberglass, iron, aluminum and wood. Highly recommended for dyeing vessel over the above materials.



Exterior use



13 - 15 m²/Lt (for dry film 30-40 m.)



12 Items (A + B set [500 ml + 250 ml])



White	Black	Aqua Blue
Blue	Red	Yellow

* Actual shades may differ from this color chart

Code	Pkg
C/C	A Comp. 2 Lt
P121139001	B Comp. 1 Lt
C/C	Packaging A + B Comp. 500 + 250 ml

SOLVENTS



WHITE SPIRIT

Solvent for paint brush



15 Items (375 ml)
28 Items (750 ml)
8 Items (4 Lt)

Code	Pkg
P121701004	375 ml
P121701008	750 ml
P121701014	4 Lt
P121701016	15 Lt



ACETONE

General use solvent

Suitable for diluting varnishes and cleaning paint equipment.



12 Items (750 ml)

Code	Package
P21704008	750 mL
P21704014	4 L
P21704015	15 L



LS-702

Solvent for air paints, oven toulolis base

Suitable for dilution: STAUSPOX, STATUS WASH PRIMER, CARMYPAIN RP-10.



12 Items (750 ml)

Code	Package
P21702008	750 mL
P21702003	4 L



LS-703

Solvent for air paints, oven xylene base

Suitable for dilution: STATUSPOOL PRIMER, STATUSPOOL & CARMYSAIL.



12 Items (750 ml)

Code	Package
P21703008	750 mL
P21703014	4 L



LS-705

Gun cleaning solvent



72 items (4 L)
24 items (15 L)

Code	Package
P21705014	4 L
P21705015	15 L



LS-735

Nitro Solvents general use.

Suitable for dilution: CARMYSAIL PRIMER.



12 Items (750 ml)

Code	Package
P21735008	750 mL
P21735014	4 L
P21735015	15 L

PIGMENTS

**COLORANT**

High quality pigments for color effect unchanged over time.

- All packaging are 1 Lt
- 1 Lt = 1598 units (lines)) ή 33,3 Y (1Y = 48 lines))
- C 30, C 31, C 32, C 33, C 34 used for tinting organic plasters
- Pigments are not amenable to any discount

Code	Pkg
T023373040	C04 WHITE
T023373050	C05 BLUE
T023373060	C06 YELLOW
T023373070	C07 RED
T023373080	C08 GREEN
T023373090	C09 YELLOW CONCENTRATED
T023373100	C10 BLUE CONCENTRATED
T023373110	C11 OCHRE
T023373120	C12 ORANGE
T023373130	C13 RED CONCENTRATED
T023373140	C14 AUBREY
T023373150	C15 BRICK RED
T023373160	C16 VIOLET
T023373210	C21 BLACK CONCENTRATED
T023373220	C22 MAGENTA
T023373230	C23 WEAK BLACK
T023373240	C24 BLACK
T023373250	C25 MAGENTA
T023373260	C26 ORANGE
T023373270	C27 YELLOW
T023373280	C28 YELLOW CONCENTRATED
T023373290	C29 BLUE CONCENTRATED
T023373300	C30 BLACK CONCENTRATED
T023373310	C31 VIOLET CONCENTRATED
T023373320	C32 RED CONCENTRATED
T023373330	C33 YELLOW CONCENTRATED
T023373340	C34 ORANGE CONCENTRATED
T023373350	C35 YELLOW
T023373360	C36 COBALT BLUE





ICON MEMO



Interior and exterior use



Exterior use



Interior use



Application



Delivery time



Dimensions



Weight



Consumption



Items per pallet



Items per box



Shades



Also provided in silo



Coefficient of thermal conductivity

C/C

Where C/C appears,
call us to provide you with
the code of the product.



CERTIFICATIONS / SYSTEMS

C1	With normal characteristics, for absorbent tiles and common substrates - Exterior & Interior use.	CG2 WA	With enhanced features for demanding applications, with high abrasion resistance, low water absorption and low shrinkage - Exterior & Interior use.		Fire protection class A2
C1T	With normal characteristics, for absorbent tiles and normal substrates - with zero vertical slip - Exterior & Interior use.	D2TE	Dispersion adhesive with enhanced characteristics for all types of tiles, with zero vertical slip and extended open time - Exterior & Interior use.	ETAG 004	Certification of the external thermal insulation system.
C1TE	With normal characteristics for absorbent tiles and common substrates. With slip resistance and extended open time - Exterior & Interior use.	R2T	Epoxy-based glue with reinforced characteristics for all types of tiles and with zero vertical slip - Exterior & Interior use.	EN 13499	European Standard EN 13499 for the thermal insulation system.
C2T	With enhanced features for non-absorbent tiles and zero vertical slip - Exterior & Interior use.	S1	With enhanced features for non-absorbent tiles, with zero vertical slip and extended open time - Very Elastic - Exterior & Interior use.	EN 13888	Standard requirements for cementitious grouts.
C2E	With enhanced features for non-absorbent tiles and extended open time - Exterior & Interior use.	S2	With enhanced features for non-absorbent tiles, with zero vertical slip and extended open time - Super Elastic - Exterior & Interior use.	EN 13163	Standard requirements for Expanded Polystyrene (EPS) according to the performance of the material in strength.
C2TE	With enhanced features for non-absorbent tiles, with zero vertical slip and extended open time - Elastic - Exterior & Interior use.	CE	The CE marking is the mark of product quality. Its existence ensures for the consumer that the characteristics of the product he has chosen correspond to the European characteristics established for the product.	EN 15824	Harmonized standard for external and internal coatings.
	EU Ecolabel for products that meet strict ecological criteria.		Fiber reinforced product		A product that can be used in the CLIMAPLUS external thermal insulation system.
	Environmental Product Declaration: Official and verified document recording the environmental impacts of a product throughout its life cycle, according to international standards.		25 years expected working life		

**Headquarters**

130 Siggrou Avenue
Athens -11745
7th floor

Customer Service

+30 210 36 33 512
sales@thrakon.gr

Technical Support

+30 210 36 33 512
info@thrakon.gr

Join us at:

/ Thrakon.Greece
/ company / thrakon-group

/ thrakon.greece
/ THRAKONGreece

We build together.

www.thrakon.gr

