



INNOVATIVE RANGE **DESMOFLEX[®]**

Liquid **Polyurethane System**
for waterproofing



We build together.

**FAST & EASY
APPLICATION**



BRUSH



ROLLER



AIRLESS SPRAY



WEATHER RESISTANT



**EXCELLENT ADHESION
ALL SURFACES**



ELASTICITY >600%

DESMOFLEX[®]

PU System

The Ultimate Liquid
Polyurethane system

DESMOFLEX[®] range offers **complete and long-lasting waterproofing solutions.**




The polyurethane excellence of THRAKON:
Complete waterproofing solution!

The **DESMOFLEX[®] PU** system was developed by the THRAKON R&D department, to offer the ultimate and long-lasting waterproofing. **DESMOFLEX[®] PU** system produces a highly hydrophobic membrane that protects, seals and provides excellent UV resistance. The new generation "**DESMOFLEX[®]**" technology ensures high elasticity and crack bridging ability of up to 2mm, water vapor permeability, excellent thermal resistance and excellent adhesion.



• 25kg • 15kg
• 20kg • 6kg

- ① SUBSTRATE
- ② DESMOFLEX® Suitable Primer
- ③ DESMOFLEX® Polyurethane (1st coat)
- ④ REINFORCEMENT
- ⑤ DESMOFLEX® Polyurethane (2nd coat)
- ⑥ DESMOFLEX® Top Coat



APPLICATION STEPS

DESMOFLEX® FIBER FIX

1-component fibre-reinforced liquid polyurethane membrane for waterproofing details

DESMOFLEX® Fiber Fix is suitable for waterproofing details. It is appropriate for joints, upstands, skylights, ventilation pipes, chimneys, bases of air conditioning units, gutters, photovoltaic and solar systems. It can be used between different materials such as wood, ceramics, various types of metals and alloys, concrete, cement mortars and cement pastes, acrylic coatings, polyurethane foams, etc.



FIBRE
REINFORCED



LONG-TERM
PROTECTION



UV
RESISTANT

DESMOFLEX® TOP COAT

Advanced technology 2-component aliphatic polyurethane top-coat, UV-stable (2K)

DESMOFLEX® Top Coat Polyurethane, is a 2-component coating (component A+B) suitable for the long-term protection of roofs, terraces, balconies and asphalt/ bituminous surfaces, EPDM or PVC membranes used in combination with DESMOFLEX® PU.



UV
STABLE



FLEXIBLE
WITH COLORS



TRAFFICABLE



Join us at:



/ Thrakon.Greece



/ company/thrakon-group



/ thrakon.greece



/ THRAKONGreece

We build together.

www.thrakon.gr